



FIBERWEB (INDIA) LTD
spunbond and meltblown polypropylene



industrial



environmental



hazmat



medical



agricultural

Fiberweb is a manufacturer of high quality spunbond and meltblown polypropylene nonwoven products. These fabrics are used in various industries, including hygiene, agriculture crop cover, industrial manufacturing, environmental clean-up, air and liquid filtration, and medical and industrial clothing. We are a 100% export-oriented unit (EOU) with greater than 75% of our products exported to countries such as USA, UK, various European countries, Australia, New Zealand, South Africa and certain Gulf countries. Due to its focus on quality and consistency, the company's products command a premium in the marketplace. In India, Fiberweb supplies to multinational companies in the hygiene sector. The Company has implemented comprehensive quality management systems in all functional areas: marketing, material management, production, maintenance, quality assurance and customer service. We fully satisfy our clients' quality/consistency requirements under ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 certified by quality Registrar Intertek and UKAS. The main raw material polypropylene is imported from the world renowned producers LyondellBasell and ExxonMobil.

Our network of premium distributors span the globe. Please contact us today for information on joining our team. We look forward to hearing from you.



Fiberweb (India) Limited was established in 1985. We are constantly innovating exciting new products, continually improving our existing product lines, adding more manufacturing equipment, and expanding our facilities.

Plot No.92/93B, Kadaiya Industrial Est,
100' Coastal Highway,
Nani Daman,
Daman U.T. 396210
www.fiberwebindia.com
fiberweb@fiberwebindia.com

ISO 9001:2015 , ISO 14001:2015 & ISO 45001:2018 certified by Intertek quality registrar

INDEX

page 1:	OIL-SELECT SINGLE LAYER STANDARD MB PP AND POINT BONDED MB PP <i>fibrous pads and rolls absorb petroleum fluids off of the surface of water</i>
page 2:	OIL-SELECT TWO AND THREE-PLY FF MB AND SB PP COMPOSITES <i>durable petroleum-absorbing pads and rolls for maintenance applications</i>
page 3:	UNIVERSAL AND HAZMAT PREMIUM MB PP AND SB PP COMPOSITES. <i>premium universal composites for use with all maintenance applications</i>
page 4:	UNIVERSAL SINGLE LAYER MB PP AND 2-PLY SB PP COMPOSITES <i>economical universal pads and rolls for general cleaning applications</i>
page 5:	OIL-SELECT RAILROAD TRACK MAT THREE-PLY COMPOSITE <i>durable, weather-resistant roll composites for railroad applications</i>
page 6:	OIL-SELECT SOCK AND NET ABSORBENT BOOMS <i>marine-based barriers absorb and contain spilled hydrocarbons</i>
page 7:	TUBULAR ABSORBENT SOCKS AND SQUARE ABSORBENT CUSHIONS <i>socks contain runaway fluids, and cushions absorb constant drips</i>
page 8:	CHEMICAL COMPATIBILITY GUIDE <i>listing of chemical and the sorbents that are compatible</i>
page 9:	RESPIRATORS / FACIAL MASKS <i>protects the wearer from airborne particles</i>
page 10:	PERSONAL PROTECTIVE EQUIPMENT <i>coveralls, gowns, aprons, hair covers, and shoe covers</i>
page 11:	SPUNBOND POLYPROPYLENE CROP PROTECTION <i>nonwoven fabrics protect crops from the elements</i>
page 12:	SPUNBOND POLYPROPYLENE INDUSTRIES <i>overview of spunbond polypropylene products</i>



oleophilic (likes oil)
hydrophobic (repels water)

chemical compatibility guide
can be found on page 8

STANDARD MELTBLOWN POLYPROPYLENE

- ★ fibrous texture wicks hydrocarbon-based fluids off of surface of water
- ★ primary purpose is for oil spill response and remediation

pads/mats

P1WH3848-100 / 38 x 48 cm / 299 gsm / 100 per pkg / absorbs 106 liters

P1WM3848-100 / 38 x 48 cm / 222 gsm / 100 per pkg / absorbs 79 liters

P1WL3848-200 / 38 x 48 cm / 155 gsm / 200 per pkg / absorbs 113 liters

rolls

R1WH7646-1 / 76 cm x 46 m / 299 gsm / 1 per pkg / absorbs 200 liters

R1WH3846-2 / 38 cm x 46 m / 299 gsm / 2 per pkg / absorbs 200 liters

R1WM7646-1 / 76 cm x 46 m / 222 gsm / 1 per pkg / absorbs 147 liters

R1WM3846-2 / 38 cm x 46 m / 222 gsm / 2 per pkg / absorbs 147 liters

R1WL7692-1 / 76 cm x 92 m / 155 gsm / 1 per pkg / absorbs 212 liters

R1WL3892-2 / 38 cm x 92 m / 155 gsm / 2 per pkg / absorbs 212 liters

PBM



- ★ fibrous texture absorbs viscous fluids
- ★ bond points tie down loose fibers
- ★ great economical oil-select sorbent
- ★ excellent leak and drip catcher

POINT BONDED MELTBLOWN POLYPROPYLENE

pads/mats

P2WH3848-100 / 38 x 48 cm / 299 gsm / 100 per pkg / absorbs 105 liters

P2WM3848-100 / 38 x 48 cm / 222 gsm / 100 per pkg / absorbs 78 liters

P2WL3848-200 / 38 x 48 cm / 155 gsm / 200 per pkg / absorbs 112 liters

rolls

R2WH7646-1 / 76 cm x 46 m / 299 gsm / 1 per pkg / absorbs 199 liters

R2WH3846-2 / 38 cm x 46 m / 299 gsm / 2 per pkg / absorbs 199 liters



R2WM7646-1 / 76 cm x 46 m / 222 gsm / 1 per pkg / absorbs 146 liters

R2WM3846-2 / 38 cm x 46 m / 222 gsm / 2 per pkg / absorbs 146 liters


R2WL7692-1 / 76 cm x 92 m / 155 gsm / 1 per pkg / absorbs 211 liters

R2WL3892-2 / 38 cm x 92 m / 155 gsm / 2 per pkg / absorbs 211 liters

Standard meltblown polypropylene is not perforated. All other oil-select products are perforated as shown.



FMF



- ★ *microfibers absorb fluids quickly*
- ★ *grips most surfaces when saturated*
- ★ *removes the sheen from floors*
- ★ *great indoor/outdoor sorbent*

FINE FIBER MB PP / COARSE MB PP / FINE FIBER MB PP

pads/mats

P5BH3848-100 / 38 x 48 cm / 299 gsm / 100 per pkg / absorbs 103 liters

P5BM3848-100 / 38 x 48 cm / 222 gsm / 100 per pkg / absorbs 76 liters

rolls


R5BH7646-1 / 76 cm x 46 m / 299 gsm / 1 per pkg / absorbs 194 liters

R5BH3846-2 / 38 cm x 46 m / 299 gsm / 2 per pkg / absorbs 194 liters

R5BM7646-1 / 76 cm x 46 m / 222 gsm / 1 per pkg / absorbs 142 liters

R5BM3846-2 / 38 cm x 46 m / 222 gsm / 2 per pkg / absorbs 142 liters

SMS



- ★ *smooth and abrasion-resistant*
- ★ *will not lint or shed*
- ★ *perfect for wiping applications*
- ★ *extremely durable and resilient*

SPUNBOND PP / COARSE MB PP / SBUNBOND PP

pads/mats

P4WH3848-100 / 38 x 48 cm / 299 gsm / 100 per pkg / absorbs 101 liters

P4WM3848-100 / 38 x 48 cm / 222 gsm / 100 per pkg / absorbs 75 liters

rolls


R4WH7646-1 / 76 cm x 46 m / 299 gsm / 1 per pkg / absorbs 190 liters

R4WH3846-2 / 38 cm x 46 m / 299 gsm / 2 per pkg / absorbs 190 liters

R4WM7646-1 / 76 cm x 46 m / 222 gsm / 1 per pkg / absorbs 139 liters

R4WM3846-2 / 38 cm x 46 m / 222 gsm / 2 per pkg / absorbs 139 liters

SM



- ★ *dual-textured:*
- ★ *smooth and abrasion-resistant*
- ★ *will not lint or shed*
- ★ *fibrous on the other side*
- ★ *fast absorbing open fiber construction*

SPUNBOND PP / COARSE MELTBLOWN POLYPROPYLENE

pads/mats

P3WH3848-100 / 38 x 48 cm / 299 gsm / 100 per pkg / absorbs 102 liters

P3WM3848-100 / 38 x 48 cm / 222 gsm / 100 per pkg / absorbs 76 liters

P3WL3848-200 / 38 x 48 cm / 155 gsm / 200 per pkg / absorbs 111 liters

rolls

R3WH7646-1 / 76 cm x 46 m / 299 gsm / 1 per pkg / absorbs 192 liters

R3WH3846-2 / 38 cm x 46 m / 299 gsm / 2 per pkg / absorbs 192 liters

R3WM7646-1 / 76 cm x 46 m / 222 gsm / 1 per pkg / absorbs 141 liters

R3WM3846-2 / 38 cm x 46 m / 222 gsm / 2 per pkg / absorbs 141 liters


R3WL7692-1 / 76 cm x 92 m / 155 gsm / 1 per pkg / absorbs 203 liters

R3WL3896-2 / 38 cm x 92 m / 155 gsm / 2 per pkg / absorbs 203 liters

Oil-Select products absorb oil, diesel, gasoline, and other low surface tension fluids. They repel water-based fluids (high surface tension).



FMF



- ★ microfibers absorb fluids quickly
- ★ grips most surfaces when saturated
- ★ removes the sheen from floors
- ★ great for all MRO applications

FINE FIBER MB PP / COARSE MB PP / FINE FIBER MB PP

pads/mats

P5GH3848-100 / 38 x 48 cm / 299 gsm / 100 per pkg / absorbs 102 liters

P5GM3848-100 / 38 x 48 cm / 222 gsm / 100 per pkg / absorbs 76 liters

rolls

R5GH7646-1 / 76 cm x 46 m / 299 gsm / 1 per pkg / absorbs 192 liters

R5GH3846-2 / 38 cm x 46 m / 299 gsm / 2 per pkg / absorbs 192 liters

R5GM7646-1 / 76 cm x 46 m / 222 gsm / 1 per pkg / absorbs 141 liters

R5GM3846-2 / 38 cm x 46 m / 222 gsm / 2 per pkg / absorbs 141 liters

SMF



- ★ smooth/abrasion-resistant SB side
- ★ soft microfiber side absorbs quickly
- ★ perfect for wiping applications
- ★ extremely durable and resilient

SPUNBOND PP / COARSE MB PP / FINE FIBER MB PP

pads/mats

P6GNH3848-100 / 38 x 48 cm / 299 gsm / 100 per pkg / absorbs 101 liters

P6GNM3848-100 / 38 x 48 cm / 222 gsm / 100 per pkg / absorbs 75 liters

rolls


R6GNH7646-1 / 76 cm x 46 m / 299 gsm / 1 per pkg / absorbs 191 liters

R6GNH3846-2 / 38 cm x 46 m / 299 gsm / 2 per pkg / absorbs 191 liters

R6GNM7646-1 / 76 cm x 46 m / 222 gsm / 1 per pkg / absorbs 140 liters

R6GNM3846-2 / 38 cm x 46 m / 222 gsm / 2 per pkg / absorbs 140 liters

FMF



- ★ microfibers absorb fluids quickly
- ★ yellow color denotes hazmat material
- ★ used in labs or chemical storage areas
- ★ absorbs most acids and bases

FINE FIBER MB PP / COARSE MB PP / FINE FIBER MB PP

pads/mats

P5YH3848-100 / 38 x 48 cm / 299 gsm / 100 per pkg / absorbs 102 liters

P5YM3848-100 / 38 x 48 cm / 222 gsm / 100 per pkg / absorbs 76 liters

rolls



R5YH7646-1 / 76 cm x 46 m / 299 gsm / 1 per pkg / absorbs 192 liters

R5YH3846-2 / 38 cm x 46 m / 299 gsm / 2 per pkg / absorbs 192 liters

R5YM7646-1 / 76 cm x 46 m / 222 gsm / 1 per pkg / absorbs 141 liters

R5YM3846-2 / 38 cm x 46 m / 222 gsm / 2 per pkg / absorbs 141 liters


Universal / Hazmat absorbs oil, water, coolants, solvents, and most acids and bases. For a comprehensive chemical compatibility guide, please refer to the chart on page 8:



Universal and hazmat pads are perforated in the center. Rolls have three equidistant machine-direction perforations and across direction perforations.



SM



- ★ smooth/abrasion-resistant SB side
- ★ soft microfiber side absorbs quickly
- ★ perfect for wiping applications
- ★ extremely durable and resilient

SPUNBOND PP / COARSE MELTBLOWN POLYPROPYLENE

pads/mats

P3GH3848-100 / 38 x 48 cm / 299 gsm / 100 per pkg / absorbs 101 liters

P3GM3848-100 / 38 x 48 cm / 222 gsm / 100 per pkg / absorbs 75 liters

rolls


R3GH7646-1 / 76 cm x 46 m / 299 gsm / 1 per pkg / absorbs 190 liters

R3GH3846-2 / 38 cm x 46 m / 299 gsm / 2 per pkg / absorbs 190 liters

R3GM7646-1 / 76 cm x 46 m / 222 gsm / 1 per pkg / absorbs 139 liters

R3GM3846-2 / 38 cm x 46 m / 222 gsm / 2 per pkg / absorbs 139 liters

SM



- ★ smooth/abrasion-resistant SB side
- ★ soft microfiber side absorbs quickly
- ★ perfect for wiping applications
- ★ extremely durable and resilient

SPUNBOND PP / COARSE MELTBLOWN POLYPROPYLENE

pads/mats

P3GNH3848-100 / 38 x 48 cm / 299 gsm / 100 per pkg / absorbs 101 liters

P3GNM3848-100 / 38 x 48 cm / 222 gsm / 100 per pkg / absorbs 75 liters

rolls

R3GNH7646-1 / 76 cm x 46 m / 299 gsm / 1 per pkg / absorbs 190 liters

R3GNH3846-2 / 38 cm x 46 m / 299 gsm / 2 per pkg / absorbs 190 liters

R3GNM7646-1 / 76 cm x 46 m / 222 gsm / 1 per pkg / absorbs 139 liters

R3GNM3846-2 / 38 cm x 46 m / 222 gsm / 2 per pkg / absorbs 139 liters

PBM



- ★ fibrous texture absorbs viscous fluids
- ★ bond points tie down loose fibers
- ★ great economical universal sorbent
- ★ excellent leak and drip catcher

POINT BONDED MELTBLOWN POLYPROPYLENE

pads/mats

P2GH3848-100 / 38 x 48 cm / 299 gsm / 100 per pkg / absorbs 104 liters

P2GM3848-100 / 38 x 48 cm / 222 gsm / 100 per pkg / absorbs 77 liters

P2GL3848-200 / 38 x 48 cm / 155 gsm / 200 per pkg / absorbs 111 liters

rolls

R2GH7646-1 / 76 cm x 46 m / 299 gsm / 1 per pkg / absorbs 198 liters

R2GH3846-2 / 38 cm x 46 m / 299 gsm / 2 per pkg / absorbs 198 liters

R2GM7646-1 / 76 cm x 46 m / 222 gsm / 1 per pkg / absorbs 145 liters

R2GM3846-2 / 38 cm x 46 m / 222 gsm / 2 per pkg / absorbs 145 liters

R2GL7692-1 / 76 cm x 92 m / 155 gsm / 1 per pkg / absorbs 210 liters

R2GL3892-2 / 38 cm x 92 m / 155 gsm / 2 per pkg / absorbs 210 liters

SM



SPUNBOND MB PP / COARSE MB PP DRUM TOPPERS


pads/mats

P3GH5656-25 / 56 x 56 cm / 299 gsm / 25 per pkg / absorbs 32 liters

OIL-SELECT RAILROAD TRACK MAT THREE-PLY COMPOSITE

SMPF laminate

(spunbond / meltblown / poly film)



Use impermeable-backed railroad track mats when refueling locomotives, at ready-station sites, and when greasing rails. The top layer (black) is UV-resistant, the center layer is highly absorbent, and the bottom layer (clear film) prevents diesel fuel, oil, and other hydrocarbons from contaminating / leaching into the soil and ballast.

- ★ available in both 150 and 48 cm widths
- ★ fits between train track rails
- ★ impermeable bottom layer stops fluids from leaching into soil
- ★ black UV-resistant top layer withstands harmful sun rays
- ★ oil-only center layer absorbs hydrocarbons and repels water
- ★ for use refueling locomotives, at ready-station sites, and greasing rails

rolls

R8BKH15030-1 / 150 cm x 30.5 m / 457 gsm / 1 per pkg / absorbs 321 liters

R8BKH4830-2 / 48 cm x 30.5 m / 457 gsm / 2 per pkg / absorbs 210 liters



oleophilic (likes oil)
hydrophobic (repels water)

Booms are tubular absorbent products that surround, contain, and absorb spilled hydrocarbon-based fluids off of the surface of water. Booms have fasteners to link the sections together. A rope runs the length of the boom, which provides strength and stability. An inner sleeve prevents shedding, and an outer net adds additional durability. Booms are available in 20 and 12 cm diameters. Use booms in conjunction with pads and rolls. Deploy booms first.

- ★ *small diameter booms are great for slow moving water*
- ★ *large diameter booms work well in currents*
- ★ *surrounds and absorbs oil spills on water*
- ★ *fasteners on each end attach to adjacent booms*
- ★ *easy to deploy and retrieve*
- ★ *white color makes it easy to see on water*
- ★ *used in conjunction with pads, rolls, and sweeps*

booms

BW133-4 / 12.5 cm x 3.04 m / 4 per pkg / absorbs 94 liters

BW136-2 / 12.5 cm x 6.09 m / 2 per pkg / absorbs 94 liters

BW203-4 / 20 cm x 3.04 m / 4 per pkg / absorbs 184 liters

BW206-2 / 20 cm x 6.09 m / 2 per pkg / absorbs 184 liters



oleophilic (likes oil)
hydrophobic (repels water)



Booms are filled with
post-industrial waste

TUBULAR ABSORBENT SOCKS AND SQUARE ABSORBENT CUSHIONS

GENERAL PURPOSE ABSORBENT SOCKS

- ★ absorbs oil, water, coolants, and solvents
- ★ prevents fluids from seeping into walkways

SG7612-30 / 7.6 x 122 cm / 30 per pkg / absorbs 113 liters

SG7624-15 / 7.6 x 244 cm / 15 per pkg / absorbs 113 liters

OIL-SELECT ABSORBENT SOCKS

- ★ absorbs hydrocarbon-based fluids and repels water
- ★ skims petroleum fluids off of water

SG7612-30 / 7.6 x 122 cm / 30 per pkg / absorbs 113 liters

SG7624-15 / 7.6 x 244 cm / 15 per pkg / absorbs 113 liters

HAZMAT/CHEMICAL ABSORBENT SOCKS

- ★ absorbs most acids and bases
- ★ used in laboratories and chemical storage areas

SY7612-30 / 7.6 x 122 cm / 30 per pkg / absorbs 113 liters

SY7624-15 / 7.6 x 244 cm / 15 per pkg / absorbs 113 liters

Warning: General purpose socks and cushions may be filled with natural (non-polypropylene) post-industrial waste. Do not use these products to absorb aggressive fluids, such as acids and bases. Fiber degradation and/or adverse chemical reactions may occur.



Socks and cushions are filled with post-industrial waste



GENERAL PURPOSE ABSORBENT CUSHIONS

- ★ absorbs oil, water, coolants, and solvents
- ★ used to catch steady drips from leaky equipment

CG4545-16 / 45 x 45 cm / 16 per pkg / absorbs 150 liters

OIL-SELECT ABSORBENT CUSHIONS

- ★ absorbs hydrocarbon-based fluids and repels water
- ★ first deployed absorbent product for large puddles

CW4545-16 / 45 x 45 cm / 16 per pkg / absorbs 150 liters

HAZMAT/CHEMICAL ABSORBENT CUSHIONS

- ★ absorbs most acids and bases
- ★ used in chemical storage areas

CY4545-16 / 45 x 45 cm / 16 per pkg / absorbs 150 liters

CHEMICAL COMPATIBILITY GUIDE FOR POLYPROPYLENE SORBENTS



oil-only products
universal / hazmat

oil-only products
universal / hazmat

oil-only products
universal / hazmat

acetaldehyde		x
acetic acid		x
acetic anhydride		x
acetone	x	x
acetyl chloride		x
acrolein	x	x
acrylonitrile		x
acrylic acid		x
acrylic emulsions		x
allyl alcohol		x
aminobenzoic acid		x
ammonia (anhydrous)	x	x
ammonium hydroxide	x	x
amyl acetate	x	x
amyl alcohol		x
aniline		x
antifreeze		x
aqua regia		x
aviation fuel	x	x
benzene	x	x
benzoic acid		x
benzonitrile		x
benzyl chloride		x
benzyl alcohol		x
boric acid		x
brake fluid	x	x
bromine		x
butyl acetate	x	x
butyl alcohol	x	x
butyric acid	x	x
butylamine		x
calcium hydroxide		x
carbolic acid		x
carbon disulfide		x
carbon tetrachloride	x	x
castor oil	x	x
chlorine water		x
chloroacetic acid		x
chlorobenzene		x
chloroform	x	x
chromic acid (50%)		x
chlorosulfonic acid		x
citric acid		x
clorox (full strength bleach)	x	x
corn oil	x	x
cottonseed oil	x	x
cresol	x	x

cyclohexane	x	x
detergents		x
dichlorobenzene	x	x
diethylamine	x	x
diethyl ether	x	x
dioctyl phthalate	x	x
dinitrobenzene	x	x
dioxan		x
ether	x	x
ethyl acetate	x	x
ethyl alcohol	x	x
ethyl benzene	x	x
ethyl chloride	x	x
ethyl ether	x	x
ethyl propionate	x	x
ethylene glycol		x
formaldehyde		x
formic acid		x
fuel oil	x	x
gasoline	x	x
gearbox oil	x	x
glacial acetic acid		x
glycerol		x
heptane	x	x
hexane	x	x
hydrazine		x
hydrochloric acid (37%)		x
hydrofluoric acid (48%)		x
hydrogen cyanide	x	x
hydrogen peroxide (30%)		x
isobutyl alcohol	x	x
isobutyl acid	x	x
isopropyl acetate	x	x
isopropyl alcohol	x	x
kerosene	x	x
ketones	x	x
linseed oil	x	x
lubricating oil	x	x
magnesium hydroxide		x
methyl alcohol	x	x
methyl chloride	x	x
methyl ether	x	x
methyl ether ketone	x	x
methyl propionate	x	x
mineral oil	x	x
motor oil	x	x

naphthalene	x	x
nitric acid (70%)		x
nitrobenzene		x
nitrobenzoic acid	x	x
nitrotoluene	x	x
octane	x	x
oleic acid	x	x
olive oil	x	x
paraffin	x	x
perchloroethylene	x	x
petroleum ether	x	x
phenol		x
phosphoric acid		x
plating solutions		x
potassium hydroxide (50%)		x
propanol		x
propionic acid	x	x
propyl alcohol	x	x
propylene glycol	x	x
quinoline		x
resorcinol		x
salt solutions (metallic)		x
silicone oil	x	x
silver nitrate		x
soap solution (concentrated)	x	x
sodium bicarbonate		x
sodium chloride		x
sodium hydroxide (20%)		x
sodium hypochlorite		x
sodium nitrate		x
stannic chloride		x
starch		x
styrene	x	x
sucrose		x
sulfuric acid (50%)		x
synthetic motor oil	x	x
tannic acid		x
toluene	x	x
transformer oil	x	x
trichloroethylene	x	x
triethylene glycol	x	x
turpentine	x	x
urine		x
vinyl acetate	x	x
vinegar	x	x
xylene	x	x

Anchor Mat LLC does not guarantee that these products will perform to your satisfaction. For your safety, and if you are uncertain of possible chemical reactions or absorption non-performance, we recommend that you conduct compatibility and absorption testing of your chemicals with samples of these products. This compatibility chart is simply a guide.

N95




Fiberweb disposable particulate respirator N95 is designed to assist with respiratory protection, efficiently filtering at least 95 percent of certain non-oil based particles. The three-panel design molds well to most faces, providing the wearer with a high degree of comfort, ease of breathing, and effective filtration against dust and other particles. The adjustable nose clip and soft nose foam helps create a seal. Fiberweb meltblown polypropylene has been tested by two independent Government of India approved laboratories to meet or exceed N95 and N99 mask and PPE requirements.

Aerosol Type: Non-Oil
Exhalation Valve: No
FDA Cleared: No
Filter Class: N95
Flame Resistance (ASTM D2859-96): No
Fluid Resistant (ASTM F1862): N/A
Natural Rubber Latex Components: No
Nuisance Odor Relief (< OSHA PEL): No
Product Color: White
Product Type: Particulate respirator

Product Applications:
Airborne biological particles
Agricultural production and farming
Assembly and mechanical processes
Bagging waste and cleaning
Construction and development
Dry chemical handling and storage
Foundry operations
Metal grinding and metal repair
Paper and pulp processing
Processing of various minerals
Sanding lumber and other surfaces
Textile operations

Respirators / Facial Masks



Fiberweb N95 disposable masks with exhalation valve allow the wearer to exhale through the valve and then inhale through the filtered polypropylene, which provides a much more comfortable breathing experience. The exhalation valve also reduces fogging of goggles and other protective eyewear.



N95 respirators and surgical masks are examples of personal protective equipment that are used to protect the wearer from airborne particles and from liquid contaminating the face. The Centers for Disease Control and Prevention (CDC), National Institute for Occupational Safety and Health (NIOSH) and the Occupational Safety and Health Administration (OSHA) also regulate N95 respirators.

It is important to recognize that the optimal way to prevent airborne transmission is to use a combination of interventions from across the hierarchy of controls, not just PPE alone.

Contact your Fiberweb representative for detailed product information, including sizes, packaging, and safety precautions.

PPE

Fiberweb medical and protective clothing effectively help protect you from physical, electrical, heat, chemicals, biohazards, and airborne particulate matter. All of our garments are hydrophobic, so they effectively repel most non-oil particles. Personal protective equipment (PPE) is used every day by health care personnel (HCP) to protect themselves, patients, and others when providing medical treatment and care. PPE helps protect HCP from potentially infectious patients and materials, toxic medications, and other potentially dangerous substances used in healthcare delivery. We manufacture coveralls, shoe covers, hair covers, aprons, and gowns.



Coveralls protect your arms, legs, and abdomen. They are available with or without attached hood. Our polypropylene fabric is breathable, so these coveralls are comfortable when wearing them for long periods of time. We offer them in various sizes.



Gowns help protect the wearer from the spread of infection when the wearer is in the presence of potentially infectious liquid and solid material. They also help prevent the wearer from transferring microorganisms that could harm vulnerable patients, such as those with weakened immune systems.



Aprons are comfortable and protect clothes from light splashing. They are great for various applications, including catering, cleaning, and nursing environments. One size fits all.



Hair Covers have an elastic cuff to help keep dirt and hair oils from contaminating and spreading infection. One size fits all.



Shoe Covers are designed to protect your feet from contaminants, as well as preventing dirt and other contaminants on the soles of your shoes from spreading. They are a universal size and have elastic cuffs to keep them securely fastened to your ankles.

Personal Protective Equipment



CROP PROTECTION

Fiberweb crop coverings provide needed frost and freeze protection for vegetables, nursery stock, strawberries, foliage, citrus, containerized ornamentals, and turf. They protect plants from wind break, overwintering, and they enhance crop yield. Our coverings also establish turf and golf greens, speed up germination, allow water to pass through and irrigate, and control erosion.

Light Frost Protection

product densities:

16.95 grams per sq meter / transmits 95% light

18.65 grams per sq meter / transmits 95% light

25.43 grams per sq meter / transmits 85% light

Medium Frost Protection

product densities:

33.91 grams per sq meter / transmits 70% light

42.38 grams per sq meter / transmits 60% light

Heavy Frost and Cold Protection

product densities:

50.86 grams per sq meter / transmits 50% light

67.82 grams per sq meter / transmits 35% light

Frost Blankets

product densities:

78 grams per sq meter / transmits 35% light

91.55 grams per sq meter / transmits 30% light

101.73 grams per sq meter / transmits 30% light

Heavy Frost Blankets

product densities:

135.64 grams per sq meter / transmits 25% light

203.46 grams per sq meter / transmits 25% light

We also manufacture **landscape / weed fabric**



SPUNBOND POLYPROPYLENE BY INDUSTRY

Our spunbond polypropylene machines manufacture nonwovens that are used in many industries, including hygiene, automotive, bedding, packaging, construction, aerospace, medical, agricultural, personal protection equipment, landscaping, and many more. We can tailor our fabrics to achieve the desired specifications for your particular applications. The possibilities are limitless.



serving industry and protecting our environment



FIBERWEB INDIA LIMITED

Plot No.92/93B, Kadaiya Industrial Est,
100' Coastal Highway,
Nani Daman,
Daman U.T. 396210
www.fiberwebindia.com
fiberweb@fiberwebindia.com



ISO 9001:2015
ISO 14001:2015
ISO 45001:2018

certified by quality Registrar Intertek and UKAS